


Name of Circle: DOS

Name of GSS: ARA

LIST OF EXISTING EQUIPMENT DETAILS

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV Bay	PGCIL (ARA)		Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
			3 Phase Circuit Breaker	01	ALTOM	2015
			1-Ph CVT	03		2017
			LA	03		2016
			1-Ph Current Transformer	03	SCT LIMITED	
			3 Phase Isolator with/without Earth switch	03	FARADAY	2015
	Railway feeder		Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2017
			2 Phase Circuit Breaker	01	CGL	2017
			LA	03		2015



132 KV B/C bay	B/C	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM 2015	
		3 Phase Circuit Breaker	01	ALSTOM 2015	
		1 Ph PT	03	MEHRU VOLTAGE	2015
		LA			2015
		1-Ph Current Transformer	03	Artche	

		3 Phase Isolator with/without Earth switch	03	FARADAY	2015
132/33 KV Transformer bay(HV)	Transformer	Transformer control & relay panel with Differential protection & O/C E/F protection	04	T-1to3 – ALSTOM T-4-VENSON ELECT.	2015
		3 Phase Circuit Breaker	04	T-1-CGL T-2- ALSTOM T-3-CGL T-4-CGL	
		LA	12		2016
		1-Ph Current Transformer	12	T-1&2- VISHAL PVT LTD T-3-SCT LTD T-4- HEPTACARE POWER INDUSRT	
		3 Phase Isolator with/without Earth switch	12	T-1&2- FARADAY T-3&4-- Simens	T 1&2-2016 T3-2014 T4-2016
132/33 KV Transformer bay(LV)	Transformer	Transformer control & relay panel with Differential protection & O/C E/F protection	04	T-1 TO 3- ALSTOM T-4-VENSON ELECT.	T-1&2-2015

		3 Phase Isolator with/without Earth switch	03	FARADAY	2016
33 KV Feeder	JAPANI	Line control & relay panel with O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	CGL	2015
		LA	03		
		1-Ph Current Transformer	03	MODERN ELECTRONIC	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015
33 KV Feeder	BIHARI MILL	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	SCHNEIDER	2015
		LA	03		2015
		1-Ph Current Transformer	03	FLORAL ELECTRICAL.	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015

33 KV Feeder	ANAITH	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	SCHNEIDER	2015
		LA	03		2015
		1-Ph Current Transformer	03	MORDERN ELECTRONIC	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015
	SANDESH	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	AREVA	
		LA	02		
		1-Ph Current Transformer	03	R- MODERN ELECTRONIC	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015

	GIDHA	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	SCHNEIDER	2015
		LA	03		2015
		1-Ph Current Transformer	03	VIDUTH CONTROL SYSTEM	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015

33KV FEEDER	JAGDISHPUR	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	SCHNEIDER	2015

		LA	03		2015
		1-Ph Current Transformer	03	VIDUTH CONTROL SYSTEM	
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015

—

	Battery Charger	1	01	CHLORIDE	2015
			01	POWER ELECTRONIC	
	ACDB	2	02	TRANSIET	
	DCDB		01	TRANSIET	
	Battery bank	1	01	EXIDE	2015
			01	EXIDE	
	DG set		NA		
	PLCC Equipment	1.Iisolator			

	2. Battery Charger			
	3. Panel			
Fire Fighting Equipment	10	AVAILABLE		
Earthing Rods	AVAILABLE			
Tools &Tackles(Spanners,Wrench..etc.(Set/Piece)	01 Set	AVAILABLE		
Testing Equipments	10Equipments			
Safety Gear(Helmet,Gloves,Boot, etc.)	AVAILABLE			
SST	01			
Spare Hardware Fitting.	AVAILABALE			

Land Asset Details

GSS:-132/33KV GSS Ara

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Khata-Khesra:57-172,158-173,78-187,116-179,120-191,129-203,135-185,136-174,136-177,136-178,136-188,143-190,146-198,160-180,181-194,181-182,199-181,199-186,201-192,201-193,224-195,224-204.
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Ward No-42

	Amount of Early Land related Taxes	N.A
	Taxes clear up to	N.A
22	Land Records available with	TSD Ara

Details of Existing Equipment

Name of Circle: Dehri On Sone

Name of GSS: Banjari

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV Line bay	Dehri Banjari		Line control & relay panel with Distance protection & O/C E/F protection	1	GEC Alsthom	1996
			3 Phase Circuit Breaker	1	CGL	2014
			1 Ph CVT	nil
			LA	3	1996
			1-Ph Current Transformer	3	vishal	2015
			3 Phase Isolator with/without Earth switch	3	1996
132 KV Line bay	Kcl Line		Line control & relay panel with Distance protection & O/C E/F protection	1	GEC Alsthom	1996
			3 Phase Circuit Breaker	1	CGL	1996
			1 Ph CVT	nil
			LA	3	1996
			1-Ph Current Transformer	3	HBB, SCT	1996
			3 Phase Isolator with/without Earth switch	3	...	1996
132 KV Line bay	Banjari Sasaram Ckt1		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2011
			3 Phase Circuit Breaker	1	ABB	2011
			1 Ph CVT	3	CGL	2011
			LA	3	CGL	2011
			1-Ph Current Transformer	3	CGL	2011
			3 Phase Isolator with/without Earth switch	3	SIEMENS	2011
			Line control & relay panel with Distance protection & O/C E/F protection	1	SYSTEM AND CONTROL	2017

Sheet1

132 KV Line bay	banajri sasaram Ckt2	3 Phase Circuit Breaker	1	SIEMENS	2017
		1 Ph CVT	6	SIEMENS	2017
		LA	3	CGL	2017
		1-Ph Current Transformer	3	SCT	2017
		3 Phase Isolator with/without Earth switch	3	SIEMENS	2017
132/33 KV Transformer bay(HV)	T1	Transformer control	1	DANISH	2015
		3 Phase Circuit Breaker	1	SIEMENS	2015
		LA	3	1996
		1-Ph Current Transformer	3	SCT	1996
		3 Phase Isolator with/without Earth switch	3	1996
132/33 KV Transformer bay(HV)	T2	Transformer control	1	ABB	2011
		3 Phase Circuit Breaker	1	CGL	2013
		LA	3	CGL,LAMCO	2011,2018
		1-Ph Current Transformer	3	CGL	2011
		3 Phase Isolator with/without Earth switch	3	SIEMENS	2011
132/33 KV Transformer bay(HV)	T3	Transformer control	1	SYSTEM AND CONTROL	2015
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	ZINC OXIDE SURGE ARRESTOR	2015
		1-Ph Current Transformer	3	SCT	2015
		3 Phase Isolator with/without Earth switch	3	RP ENGG.WORKS	2015
132/33 KV Transformer bay(LV)	T1	Transformer control	1	DANISH	2015
		3 Phase Circuit Breaker	1	CGL	2012
		LA	3	2015
		1-Ph Current Transformer	3	ADVENT ENTERPRISES	2015
		3 Phase Isolator with/without Earth switch	3	1996
132/33 KV Transformer bay(LV)	T2	Transformer control	1	ABB	2011
		3 Phase Circuit Breaker	1	ABB	2011
		LA	3		
		1-Ph Current Transformer	3	vishal	2011

Sheet1

	T3	3 Phase Isolator with/without Earth switch	3	SIEMENS	2011	
132/33 KV Transformer bay(LV)		Transformer control	1	SYSTEM AND CONTROL	2015	
		3 Phase Circuit Breaker	1	CGL	2015	
		LA	3	ZINC OXIDE SURGE ARRESTOR	2015	
		1-Ph Current Transformer	3	SCT	2015	
		3 Phase Isolator with/without Earth switch	3	RP ENGG.WORKS	2015	
		Line control & relay panel with Distance protection & O/C E/F protection	1	GEC Alsthom	1996	
132 KV Buscoupler bay		3 Phase Circuit Breaker	1	CGL	1996	
		1 Ph PT	3	1996	
		LA	nil	
		1-Ph Current Transformer	3	SCT	1996	
		3 Phase Isolator with/without Earth switch	3	1996	
		Line control & relay panel with O/C E/F protection	1	GEC Alsthom	1996	
		3 Phase Circuit Breaker	1	CGL	2013	
33 KV Feeder	Samhtta line	LA	3	1996	
		1-Ph Current Transformer	3	ME CIRCUIT	...	
		3 Phase Isolator with/without Earth switch	3	1996	
		Line control & relay panel with O/C E/F protection	1	ABB	2011	
		3 Phase Circuit Breaker	1	ABB	2011	
33 KV Feeder	Kerpa Line	LA	3	CGL	2011	
		1-Ph Current Transformer	3	vishal	2011	
		3 Phase Isolator with/without Earth switch	3	SIEMENS	2011	
		Line control & relay panel with O/C E/F protection	1	GEC Alsthom	1996	

Sheet1

33 KV Feeder	Nawhatta Line	3 Phase Circuit Breaker	1	CGL	2013
		LA	3	1996
		1-Ph Current Transformer	3	MODERN ELECTRONICS	2012
		3 Phase Isolator with/without Earth switch	3	1996
33 KV Feeder	Indreapuri Line	Line control & relay panel with O/C E/F protection	1	ABB	2011
		3 Phase Circuit Breaker	1	ABB	2011
		LA	3	CGL	2011
		1-Ph Current Transformer	3	vishal	2011
		3 Phase Isolator with/without Earth switch	3	SIEMENS	2011
33 KV Buscoupler		Line control & relay panel with Distance protection & O/C E/F protection	1	GEC Alsthom	1996
		3 Phase Circuit Breaker	1	CGL	2013
		1 Ph PT	3	1996
		LA	nil
		1-Ph Current Transformer	3	MODERN	2012
		3 Phase Isolator with/without Earth switch	3	1996

Other Substation Equipments -

PLCC Equipment	Battery Charger	1	AMARA RAJA	2016
		2	NA	
	ACDB			
	DCDB(110V/48V)			
	Battery bank	1	EXIDE	2016
		2	NA	
	DG set		NA	
	1.Isolator		NA	
	2. Battery Charger		1 ELTEK SGS PVT LTD	2018
	3. Panel		2 PUMCOM,ABB	2018
	4.telephone	AVAILABLE		
	Hydrant system with Pipe arrangement	NO		
	Fire Fighting Equipment	YES		
	Earthing Rods	YES		
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)	YES		
	Testing Equipments	NO		
	Safety Gear(Helmet,Gloves,Boot, etc.)	YES		
	SST	YES		
	Spare Hardware Fitting.	AVAILABLE		

Sample format for GSS land assets

GSS:- Banjari

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: Dehri- on- sone

Name of GSS: 132/33KV BHABHUA

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
	2nd bay..		Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
			1-Ph Current Transformer			
220/132 KV Transformer bay(HV)	1st bay..		3 Phase Isolator with/without Earth switch			
			Transformer control &			
			3 Phase Circuit Breaker			
			LA			
			1-Ph Current Transformer			
	220/132 KV Transformer bay(LV)		3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			

		Line control & relay panel with Distance protection & O/C E/F protection			
		3 Phase Circuit Breaker			
		1 Ph PT			
		LA			
		1-Ph Current Transformer			
		3 Phase Isolator with/without Earth switch			
220 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	2	Danish	27/06/2017
		3 Phase Circuit Breaker	2	Siemens	27/06/2017
		1 Ph CVT	6	Alstom	27/06/2017
		LA	6	LAMCO	27/06/2017
		1-Ph Current Transformer	6	SCT LTD.	27/06/2017
		3 Phase Isolator with/without Earth switch	6	JD ELECTRICALS	27/06/2017
132 KV Line bay		Transformer control &	2	Danish	27/06/2017
		3 Phase Circuit Breaker	2	Siemens	27/06/2017
		LA	6	LAMCO	27/06/2017
		1-Ph Current Transformer	6	SCT LTD.	27/06/2017
		3 Phase Isolator with/without Earth switch	6	JD ELECTRICALS	27/06/2017
132/33 KV Transformer bay(HV)		Transformer control &	2	Danish	27/06/2017
		3 Phase Circuit Breaker	2	SCHNEIDER	27/06/2017
		LA	6	LAMCO	27/06/2017
		1-Ph Current Transformer	6	SCT LTD	27/06/2017
		3 Phase Isolator with/without Earth switch	6	JD ELECTRICALS	27/06/2017
132/33 KV Transformer bay(LV)		Transformer control &	2	Danish	27/06/2017
		3 Phase Circuit Breaker	2	SCHNEIDER	27/06/2017
		LA	6	LAMCO	27/06/2017
		1-Ph Current Transformer	6	SCT LTD	27/06/2017
		3 Phase Isolator with/without Earth switch	6	JD ELECTRICALS	27/06/2017
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	Danish	27/06/2017
		3 Phase Circuit Breaker	1	Siemens	27/06/2017
		1 Ph PT	1	SCT LIMITED	27/06/2017
		LA	0		
		1-Ph Current Transformer	3	SCT LTD	27/06/2017
		3 Phase Isolator with/without Earth switch	3	JD ELECTRICALS	27/06/2017
		Line control & relay panel with O/C E/F protection	6	Danish	27/06/2017

33 KV Feeder	3 Phase Circuit Breaker	6	SCHNEIDER	27/06/2017
	LA	18	LAMCO	27/06/2017
	1-Ph Current Transformer	18	SCT LTD	27/06/2017
	3 Phase Isolator with/without Earth switch	18	JD ELECTRICALS	27/06/2017
33 KV Buscoupler	Line control & relay panel with Distance protection & O/C E/F protection	1	Danish	27/06/2017
	3 Phase Circuit Breaker	1	SCHNEIDER	27/06/2017
	1 Ph PT	1	SCT LTD	27/06/2017
	LA	0		27/06/2017
	1-Ph Current Transformer	3	SCT LTD	27/06/2017
	3 Phase Isolator with/without Earth switch	3	JD ELECTRICALS	27/06/2017

Other Substation Equipments -

PLCC Equipment	Battery Charger	1	250V	2	CHLORIDE	27/06/2017
		2	48V	2	CHLORIDE	27/06/2017
	ACDB			1	ASIAN SWITCHGEAR	27/06/2017
	DCDB(110V/48V)			1	ASIAN SWITCHGEAR	27/06/2017
	Battery bank	1	250V	2	EXIDE	27/06/2017
		2	48V	2	EXIDE	27/06/2017
	DG set			1	JACKSON	27/06/2017
	1.Isolator			6	JD ELECTRICALS	
	2. Battery Charger			2	CHLORIDE	
	3. Panel			4	ALSTOM	
	4.telephone				BEETEL	
	Hydrant system with Pipe arrangement					
	Fire Fighting Equipment			6	KANEX	
	Earthing Rods			6	Hindusthan Industrial Syndicate	
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)					
	Testing Equipments					
	Safety Gear(Helmet,Gloves,Boot, etc.)	12,1			PRIMA, TURBO	
	SST			2	EAST INDIA	27/06/2017
	Spare Hardware Fitting.					

Sample format for GSS land assets

GSS:- BHABHUA

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakha
04	Police Station (PS)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Khata No.-95,Khesara No.- 292,293,294,285&286
	Thana No.
	909
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Ward No-09
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: DEHRI ON DOME

Name of GSS: 132/33 KV GSS BIKRAMGANJ

Sl. No.	Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV Dehri Line bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		1 Ph CVT	3	CGL	2005
		LA	3	ELPRO	2005
		1-Ph Current Transformer	3	CGL	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132 KV Dumraon Line bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	CGL	2012
		1 Ph CVT	3	CGL	2005
		LA	3	ELPRO	2005
		1-Ph Current Transformer	3	CGL	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132 KV Piro Line bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2017
		3 Phase Circuit Breaker	1	CGL	2017
		1 Ph CVT	3	CGL	2017
		LA	3	CGL	2017
		1-Ph Current Transformer	3	SCT LTD	2017
		3 Phase Isolator with/without Earth switch	3	J D ELECTRICAL	2017
132/33 KV Transformer No-1 bay(HV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		LA	3	ELPRO	2005
		1-Ph Current Transformer	3	CGL	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132/33 KV Transformer No-2 bay(HV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		LA	3	ELPRO	2005
		1-Ph Current Transformer	3	CGL	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132/33 KV Transformer No-3 bay(HV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	SYSTEM CONTROL PVT LTD	2017
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	CGL	2015

		1-Ph Current Transformer	3	SCT LTD	2015
		3 Phase Isolator with/without Earth switch	3	PRE	2015
132/33 KV Transformer No-1 bay(LV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		LA	3	ELPRO	2005
		1-Ph Current Transformer		VIDYUT CONTROL SYSTEM	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132/33 KV Transformer No-2 bay(LV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	SCHNEIDER ALSTOM	2017
		LA	3	ELPRO	2005
		1-Ph Current Transformer	3	SCT LTD	2005
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
132/33 KV Transformer No-3 bay(LV)		Transformer control & relay panel with Differential protection & O/C E/F protection	1	SYSTEM CONTROL PVT LTD	2017
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	CGL	2015
		1-Ph Current Transformer	3	LAMCO INDUSTRIES PVT LTD	2015
		3 Phase Isolator with/without Earth switch	3	PRE	2015
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		1 Ph PT	0		
		LA	0		
		1-Ph Current Transformer	3	CGL	2005
33 KV BIKRAMGANJ Feeder		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
		Line control & relay panel with O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	MEGAWIN	2009
		LA	3	ELPRO	
		1-Ph Current Transformer	3	VCS PVT LTD	2005
33 KV NATWAR Feeder		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
		Line control & relay panel with O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	ABB	2005
		LA	3	ELPRO	
		1-Ph Current Transformer	3	VCS PVT LTD	2005

		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
33 KV DAWATH Feeder		Line control & relay panel with O/C E/F protection	1	VENSON ELET. PVT LTD	2005
		3 Phase Circuit Breaker	1	AREVA	2007
		LA	3	ELPRO	
		1-Ph Current Transformer		VIDYUT CONTROL SYSTEM	2006
		3 Phase Isolator with/without Earth switch	3	ELECTROLITE	2006
33 KV SANJHAULI Feeder		Line control & relay panel with O/C E/F protection	1	VENSON ELET. PVT LTD	2005
		3 Phase Circuit Breaker	1	STELMEC	2015
		LA	3	ELPRO	
		1-Ph Current Transformer		VIDYUT CONTROL SYSTEM	2006
		3 Phase Isolator with/without Earth switch	3	ELECTROLITE	2006
33 KV SURAJPURA Feeder		Line control & relay panel with O/C E/F protection	1	VENSON ELET. PVT LTD	2005
		3 Phase Circuit Breaker	1	AREVA	2007
		LA	3	ELPRO	
		1-Ph Current Transformer		VIDYUT CONTROL SYSTEM	2007
		3 Phase Isolator with/without Earth switch	3	ELECTROLITE	2006
33 KV TARARI Feeder		Line control & relay panel with O/C E/F protection	1	VENSON ELET. PVT LTD	2005
		3 Phase Circuit Breaker	1	MEGAWIN	2009
		LA	3	ELPRO	
		1-Ph Current Transformer		VIDYUT CONTROL SYSTEM	2006
		3 Phase Isolator with/without Earth switch	3	ULTIMA	2006
33 KV Buscoupler		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2005
		3 Phase Circuit Breaker	1	CGL	2013
		1 Ph PT		VIDYUT CONTROL SYSTEM	2004
		LA	0		
		1-Ph Current Transformer	0		
		3 Phase Isolator with/without Earth switch	3	ELPRO	2005
	TRANSFORMERS	T1	1	INDOTECH	2005
		T2	1	ECE	2017
		T3	1	KANOHAR	2016
Other Substation Equipments -					
	Battery Charger			1	HBL NIFE POWER SYS LTD
	1			1	AMARA RAJA POWER SYS LTD
2					2017

	ACDB-1A	1	MAKTEL SYSTEM	2005
	ACDB-2A	1	MAKTEL SYSTEM	2005
	ACDB(ELDB)	1	MAKTEL SYSTEM	2005
	ACDB(MLDB)-3A	1	MAKTEL SYSTEM	2005
	ACDB	1	VIKAS POWER EQ PVT LTD	2016
	DCDB(250)-1D	1	MAKTEL SYSTEM	2005
	DCDB(50V)-2D	1	MAKTEL SYSTEM	2005
	DCDB(250V)	1	VIKAS POWER EQ PVT LTD	2017
Battery bank(250V)	1	125	TAURAS HBL NIFE	2005
	2	112	EXIDE	2017
Battery bank(50V)	1	24	FIBCOM	2018
	DG set	1	CUMIN SUDHIR	2005
PLCC Equipment	1. Isolator	0		
	2. Battery Charger		HBL NIFE POWER SYS LTD	2005
		1	FIBCOM	2018
	3. Panel	5	ABB(3),PUNCO M,CGL	
	4. telephone	2		
RTU		1	Chemtrols	
	Hydrant system with Pipe arrangement	0		
	Fire Fighting Equipment	17		
	Earthing Rods	6		
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)	20	Taparia	2009
	Testing Equipments	0		
	Safety Gear(Helmet,Gloves,Boot, etc.)	22		
	SST(315kva)	1		2005
	Spare Hardware Fitting.			

GSS land assets

GSS:- 132/33KV Bikramganj

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara) Khata-63,612 Khesra-37,38,39,399/2788,398,399,400, 401,402,403,396
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: Dehri Onson

Name of GSS: Buxar

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV Line bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection	1	SIEMENS	01-02-10
			3 Phase Circuit Breaker	1	SIEMENS	01-02-10
			1-Ph CVT	3	C G L	01-02-10
			LA	3	C G L	01-02-10
			1-Ph Current Transformer	3	C G L	01-02-10
	2nd bay..		3 Phase Isolator with/without Earth switch	3	SIEMENS	01-02-10
			Line control & relay panel with Distance protection & O/C E/F protection	1	SYSTEM CONTROL & AUTOMATION PVT. LTD.	31-05-18
			3 Phase Circuit Breaker	1	SIEMENS	31-05-18
			1-Ph CVT	3	SIEMENS	31-05-18
			LA	3	C G L	31-05-18
132/33 KV 20 MVA Transformer bay(HV)	1st bay..		1-Ph Current Transformer	3	SCT Limited	31-05-18
			3 Phase Isolator with/without Earth switch	3	SIEMENS	31-05-18
			Transformer control & relay panel	1	SIEMENS	01-02-10
			3 Phase Circuit Breaker	1	SIEMENS	01-02-10
			LA	3	C G L	01-02-10
132/33 KV 20 Transformer bay(LV)			1-Ph Current Transformer	3	C G L	01-02-10
			3 Phase Isolator with/without Earth switch	3	SIEMENS	01-02-10
			Transformer control & relay panel with Differential protection & O/C E/F protection	1	SIEMENS	01-02-10
			3 Phase Circuit Breaker	1	SIEMENS	01-02-10
			LA	3	C G L	01-02-10
132/33 KV 50 MVA Transformer(MAKE ECE) bay(HV)	1st bay..		1-Ph Current Transformer	3	Vidyuth Systems Pvt. Ltd.	01-02-10
			3 Phase Isolator with/without Earth switch	3	SIEMENS	01-02-10
			Transformer control & relay panel	1	POWERTECH	25-03-18
			3 Phase Circuit Breaker	1	SIEMENS	25-03-18
			LA	3	C G L	25-03-18
132/33 KV 50 MVA Transformer(MAKE ECE) bay(LV)			1-Ph Current Transformer	3	C G L	25-03-18
			3 Phase Isolator with/without Earth switch	3	SIEMENS	25-03-18
			Transformer control & relay panel	1	POWERTECH	25-03-18
			3 Phase Circuit Breaker	1	SIEMENS	25-03-18
			LA	3	C G L	25-03-18
132/33 KV Transformer(MAKE BBL) bay(HV)			1-Ph Current Transformer	3	SCT Limited	25-03-18
			3 Phase Isolator with/without Earth switch	3	SIEMENS	25-03-18
			Transformer control & relay panel	1	VENSON ELECTRIC	19-03-16
			3 Phase Circuit Breaker	1	C G L	19-03-16
			LA	3	ELEKTROLITES LTD.	19-03-16
132/33 KV Transformer(MAKE BBL) bay(LV)			1-Ph Current Transformer	3	SCT Limited	19-03-16
			3 Phase Isolator with/without Earth switch	3	ELEKTROLITES LTD.	19-03-16
			Transformer control & relay panel	1	VENSON ELECTRIC	19-03-16
			3 Phase Circuit Breaker	1	C G L	19-03-16
			LA	3	ELEKTROLITES LTD.	19-03-16
132 KV Buscoupler bay			1-Ph Current Transformer	3	SCT Limited	19-03-16
			3 Phase Isolator with/without Earth switch	3	ELEKTROLITES LTD.	19-03-16
			Line control & relay panel with Distance protection & O/C E/F protection	1	SIEMENS	01-02-10
			3 Phase Circuit Breaker	1	SIEMENS	01-02-10
			1 Ph PT	3	C G L	01-02-10
			LA	3	C G L	01-02-10
			1-Ph Current Transformer	3	C G L	01-02-10
			3 Phase Isolator with/without Earth switch	2	SIEMENS	01-02-10
			Line control & relay panel with O/C	3	SIEMENS	Buxar 05/06/2010
			3 Phase Circuit Breaker	3	SIEMENS	Buxar 05/06/2010 P.Patti 04/09/2014 Chausa 23/02/2013

		LA			Buxar 05/06/2010 P.Patti 04/09/2014 Chausa 23/02/2013
		1-Ph Current Transformer		Vidyuth Systems Pvt. Ltd.	Buxar 05/06/2010 P.Patti 04/09/2014 Chausa 23/02/2013
		3 Phase Isolator with/without Earth switch		9 SIEMENS	Buxar 05/06/2010 P.Patti 04/09/2014 Chausa 23/02/2013
		Line control & relay panel with O/C		3 VENSON ELECTRIC	Industrial 08/06/2017
		3 Phase Circuit Breaker		3 C G L	Industrial 08/06/2017 Itarhi 22/05/2018 Jaipur 18/07/2018
		LA		9 ELEKTROLITES LTD.	Industrial 08/06/2017 Itarhi 22/05/2018 Jaipur 18/07/2018
		1-Ph Current Transformer		9 SCT Limited	Industrial 08/06/2017 Itarhi 22/05/2018 Jaipur 18/07/2018
		3 Phase Isolator with/without Earth switch		9 ELEKTROLITES LTD.	Industrial 08/06/2017 Itarhi 22/05/2018 Jaipur 18/07/2018
ation E		Line control & relay panel with O/C E/F protection		1 SIEMENS	21-02-10
		3 Phase Circuit Breaker		1 Schneider	21-02-10
		LA	3 C G L		21-02-10
		1-Ph Current Transformer	3 C G L		21-02-10
		3 Phase Isolator with/without Earth switch	3 SIEMENS		21-02-10
		Line control & relay panel with O/C	1 VENSON ELECTRIC		28-08-16
		3 Phase Circuit Breaker	1 C G L		28-08-16
		LA	3 ELEKTROLITES LTD.		28-08-16
		1-Ph Current Transformer	3 S C T Limited		28-08-16
		3 Phase Isolator with/without Earth switch	3 ELEKTROLITES LTD.		28-08-16
		Line control & relay panel with Distance protection & O/C E/F protection	1 SIEMENS		01-02-10
		3 Phase Circuit Breaker	1 SIEMENS		01-02-10
		1 Ph PT	3 C G L		01-02-10
		1-Ph Current Transformer	3 Vidyuth Systems Pvt. Ltd.		01-02-10
		3 Phase Isolator with/without Earth switch	2 SIEMENS		01-02-10
		DCDB(110V/48V)	250 V DCDB - 01 No 48 V DCDB- 02 Nos.	Maktel Systems	
		1	2 V -300 AH Tubular LMLA battery 125 Nos	HBL Power Systems Ltd.	01-01-16
		2			
		DG set	1	Powerica	
		1.Isolator			
		2. Battery Charger	1 ELTEK SGS PVT.LTD		
				02 Nos. BPL Telecom Pvt.Ltd.	
		3. Panel	5 Nos.	02 Nos. ABB 01 No. PUNCOM	
		4.telephone	02 Nos.		
		Hydrant system with Pipe arrangement	Nil		
		Fire Fighting Equipment	23 Nos.		
		Earthing Rods	09 Nos.		
		Tools & Tackles(Spellers,Wrench..etc.(Set/Piece)		Wrench 01 set Screw driver 01 set Allen Key 01 set Hammer 01 No. Pipe wrench 01 No Pliers 02 Nos Tester 01 No.	
		Testing Equipments	Multimeter 01 No BDV Test Kit 01 No. IR Tester 02 No.	Motwane Beacon Motwane, Taurus	

	Safety Gear(Helmet,Gloves,Boot, etc.)		Gum boot 03 pairs Gloves 03 pairs Helmet 10 Nos. Safety belt 02 Nos Rain Coat 02 Nos.	
	SST	1	Vijai Electricals Limited	01-02-10
	Spare Hardware Fitting.	400-200-100/1A CT- 07 Nos 600-300-150/1 A CT - 04 No. CVT – 01 No 1200-600-300-150/1 A CT - 02 Nos. Buchholz Relay 03 Nos WTI 03 Nos. OTI 03 Nos.	Vidyuth Systems Pvt. Ltd. C G L C G L SCT Limited	

Sample format for GSS land assets

GSS:- -----BUXAR-----

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
	25° 30' 5.8"N,84° 0' 29.61"E
	LAND DETAILS
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	Yes
	(ii) Private Land
	Yes
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	Yes
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	9/423,9/426,96/217,120/427,119/424,119/428
	Thana No.
	276,273
	Name of Municipality/Nagar Parishad etc.
	Village Bairi
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with
	Record not available at gss office

Details of Existing Equipment

220/132/33KV GRID SUB STATION DEHRI ON SONE CIRCLE -DEHRI ON SONE

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	pusauli		Line control & relay panel with Distance protection & O/C E/F protection	1	Alstom	2017
			3 Phase Circuit Breaker	1	Areva	2011
			1-Ph CVT	1		1978
			LA	3	Lamco	2017
			1-Ph Current Transformer	3	Areva	2011
			3 Phase Isolator with/without Earth switch	3	Faradays electric/without earth switch	2012
	gaya(PG)ckt-1		Line control & relay panel with Distance protection & O/C E/F protection	1	Alstom	2017
			3 Phase Circuit Breaker	1	Areva	2011
			1-Ph CVT	1		1978
			LA	3	Lamco	2017
	gaya(PG)ckt-2		1-Ph Current Transformer	3	Areva	2011
			3 Phase Isolator with/without Earth switch	3	Faradays electric/without earth switch	2012, LI 2017
			Line control & relay panel with Distance protection & O/C E/F protection	1	SIEMENS	2005
			3 Phase Circuit Breaker	1	Areva	2011
			1-Ph CVT	na		
220/132 KV Transformer bay(HV)	nadokhar ckt-1		LA	3	Lamco	2017
			1-Ph Current Transformer	3	Areva	2011
			3 Phase Isolator with/without Earth switch	3	Faradays electric/without earth switch	2012
			Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	SIEMENS	2016
			1-Ph CVT	3	BHEL	2016
	nadokhar ckt-2		LA	3	OBLUM	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	3	GR POWER SWICHGEAR	2016
				3	WITH EARTH	2016
220/132 KV Transformer bay(LV)	T-1		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	SIEMENS	2011
			1-Ph CVT	3	BHEL	2016
			LA	3	OBLUM	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	3	GR POWER SWICHGEAR	2016
	T-1		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
			3 Phase Circuit Breaker	1	Areva	2012
			LA	3	Lamco	2017
			1-Ph Current Transformer	3	areva	2012
	T-2		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012
			Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
			3 Phase Circuit Breaker	1	SIEMENS	2009
			LA	3	Lamco	2017
			1-Ph Current Transformer	3	MEHRU	2017
	T-2		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012
			Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
			3 Phase Circuit Breaker	1	Areva	2012
			LA	3	Lamco	2017

		1-Ph Current Transformer	3	areva	2012
		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012-17
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
		3 Phase Circuit Breaker	1	Areva	2012
		LA	3	Jamco	2017
	T-2	1-Ph Current Transformer	3	Mehru	2017
220/132 KV Transformer bay(LV)		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2012
		3 Phase Circuit Breaker	1	ABB	2012
		LA	3	CGL	2012
220/132 KV Transformer bay(HV)	T-3	1-Ph Current Transformer	3	CGL	2012
		3 Phase Isolator with/without Earth switch	3	SIEMENS WITH EARTH SWITCH	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2012
220/132 KV Transformer bay(LV)	T-3	3 Phase Circuit Breaker	1	ABB	2012
		LA	3	CGL	2012
		1-Ph Current Transformer	3	CGL	2012
		3 Phase Isolator with/without Earth switch	3	SIEMENS	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
220/132 KV Transformer bay(HV)	T-4	3 Phase Circuit Breaker	1	Areva	2012
		LA	3	Jamco	2017
		1-Ph Current Transformer	3	areva	2012
		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Alstom	2017
220/132 KV Transformer bay(LV)	T-4	3 Phase Circuit Breaker	1	SIEMENS	2012
		LA	3	Jamco	2017
		1-Ph Current Transformer	3	MEHRU	2017
		3 Phase Isolator with/without Earth switch	3	faradays electric/without earth switch	2012
		3 Phase Circuit Breaker	1	Areva	2012
		1 Ph PT	3	MEHRU	2018
		LA	NA		
220 KV Buscoupler bay		1-Ph Current Transformer	3	Areva	2012
		3 Phase Isolator with/without Earth switch	3	Faradays elecric,LI is very old	2012-78
		Line control & relay panel with O/C E/F protection	1	Alstom	2017
		3 Phase Circuit Breaker	1	ALSTOM	2017
		1 Ph CVT	3	CGL	2007
		LA	3	CGL	2007
		1-Ph Current Transformer	3	CGL	2007
SONENAGAR-1		3 Phase Isolator with/without Earth switch	3	siemens	2007
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Siemens	2007
		3 Phase Circuit Breaker	1	siemens	2007
		1 Ph CVT	3	CGL	2007
		LA	3	ELPRO INTERNATIONAL	2007
SONENAGAR-2		1-Ph Current Transformer	3	VISHAL	2018
		3 Phase Isolator with/without Earth switch	3	FARADAYS ELEC	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection		Siemens	2007

132 KV Line bay	KARAMNASA-1	3 Phase Circuit Breaker	1 Siemens	2009
		1 Ph CVT	1	VERY OLD
		LA	LAMCO,ELPRO 3 INTERNATIONAL	2017-93
		1-Ph Current Transformer	3 MEHRU	2017
		3 Phase Isolator with/without Earth switch	3 FARADAYS ELEC.	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	ALSTOM	2017
	BANJARI	3 Phase Circuit Breaker	1 Areva	2012
		1 Ph CVT	1	VERY OLD
		LA	OBLUM,ELPRO 3 INTERNATIONAL	2000
		1-Ph Current Transformer	3 MEHRU	2017
		3 Phase Isolator with/without Earth switch	3 FARADAYS ELEC.	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	ALSTOM	2017
	BIKRAMGANJ	3 Phase Circuit Breaker	1 Areva	2012
		1 Ph CVT	1	VERY OLD
		LA	ELPRO 3 INTERNATIONAL	1993
		1-Ph Current Transformer	3 MEHRU	2017
		3 Phase Isolator with/without Earth switch	3 FARADAYS ELEC.	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	ALSTOM	2017
	KARAMNASA-2	3 Phase Circuit Breaker	1 CGL	1998
		1 Ph CVT	1 CGL	1998
		LA	3 CGL	1998
		1-Ph Current Transformer	3 WSI	1998
		3 Phase Isolator with/without Earth switch	ELPRO 3 INTERNATIONAL	1998
		Transformer control & relay panel with Differential protection & O/C E/F protection	1 IMP	1998
	KOCHAS	3 Phase Circuit Breaker	1 ABB	2012
		1 Ph CVT	3 CGL	2012
		LA	3 CGL	2012
		1-Ph Current Transformer	3 CGL	2012
		3 Phase Isolator with/without Earth switch	3 siemens	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	1 ABB	2012
	132/33 KV Transformer	3 Phase Circuit Breaker	1 CGL	2009
		LA	3 Lamco	2017
		1-Ph Current Transformer	3 Mehru	2017
		3 Phase Isolator with/without Earth switch	faradays electric/without 3 earth switch	2012
		Transformer control & relay panel with Differential protection & O/C E/F protection	pannel english electric,all relay micom	1
	T-1	3 Phase Circuit Breaker	1 Siemens	2017
		LA	3 Lamco	2017
		1-Ph Current Transformer	3 modern electric	2009
		3 Phase Isolator with/without Earth switch	LI-FARADAYS ELEC.,MBI- 3 OLD,TBI-OLD	2,012
		Line control & relay panel with Distance protection & O/C E/F protection	English ele.,relay- micom	1,97,82,014
	132/33 KV Transformer bay(LV)	3 Phase Circuit Breaker	1 AREVA	2012
		LA	3 Lamco	2017
		1-Ph Current Transformer	3 Mehru	2017
	132/33 KV Transformer	3 Phase Circuit Breaker	1 AREVA	2012
		LA	3 Lamco	2017
		1-Ph Current Transformer	3 Mehru	2017

		3 Phase Isolator with/without Earth switch	faradays electric/without earth switch	2012
	T-2	Transformer control & relay panel with Differential protection & O/C E/F protection	pannel english electric,all relay micom	1,97,82,014
132/33 KV Transformer bay(LV)		3 Phase Circuit Breaker	1 stelmec	2015
		LA	3 old	
		1-Ph Current Transformer	3 1-mehru,2-old	2017-16
		3 Phase Isolator with/without Earth switch	3 FARADAYS Elec.	2,012
	T-2	Line control & relay panel with Distance protection & O/C E/F protection	English ele.,relay-micom	1978-14
132/33 KV Transformer bay(HV)		3 Phase Circuit Breaker	1 CGL	2016
		LA	3 electrolytes	2016
		1-Ph Current Transformer	3 SCT	2016
		3 Phase Isolator with/without Earth switch	electrolytes,with out earth switch	2016
		Transformer control & relay panel with Differential protection & O/C E/F protection	1 VENSION	2016
132/33 KV Transformer bay(LV)		3 Phase Circuit Breaker	1 CGL	2016
		LA	3 electrolytes	
		1-Ph Current Transformer	3 SCT	2016
		3 Phase Isolator with/without Earth switch	electrolytes,with out earth switch	2016
	T-3	Line control & relay panel with Distance protection & O/C E/F protection	1 VENSION	2016
132 KV Buscoupler bay		3 Phase Circuit Breaker	1 Areva	2012
		1 Ph PT	3 mehru	2017
		LA	NA	
		1-Ph Current Transformer	3 mehru	2017
		3 Phase Isolator with/without Earth switch	3 faradays elec.	2012-2017
		Line control & relay panel with O/C E/F protection	1 alstom	2017
MAKRAEN/COAL DEPO/SPARE BAY		3 Phase Circuit Breaker	1 CGL	2016
		LA	3 electrolytes	2016
		1-Ph Current Transformer	SCT(FOR spare bay shree 3 electro)	2016
		3 Phase Isolator with/without Earth switch	electrolytes	2016
		Line control & relay panel with Distance protection & O/C E/F protection	1 VENSION	2016
HYDLE		3 Phase Circuit Breaker	1 AREVA	2006
		LA	3 LAMCO	2017
		1-Ph Current Transformer	3 SCT	2002
		3 Phase Isolator with/without Earth switch	3 OLD	
		Line control & relay panel with Distance protection & O/C E/F protection	1 alstom	2017
JVL		3 Phase Circuit Breaker	1 AREVA	2006
		LA	3 LAMCO	2017
		1-Ph Current Transformer	3 FLORAL ELEC.	2008
		3 Phase Isolator with/without Earth switch	3 OLD	
		Line control & relay panel with Distance protection & O/C E/F protection	1 alstom	2017
33 KV Feeder		3 Phase Circuit Breaker	1 AREVA	2006
		LA	3 LAMCO	2017
		1-Ph Current Transformer	3 MEHRU	2017
		3 Phase Isolator with/without Earth switch	MBI-FE,LI,TBI-3 OLD	2012
BMP		Line control & relay panel with Distance protection & O/C E/F protection	1 alstom	2017

		3 Phase Circuit Breaker	1	STELMEC	2016
		LA	3		
		1-Ph Current Transformer	3	KAPCO ELEC.	1992
		3 Phase Isolator with/without Earth switch	3	OLD	
	RAJPUR	Line control & relay panel with Distance protection & O/C E/F protection	1	VERSION	1992
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	LAMCO	2017
		1-Ph Current Transformer	3	MODERN ELEC.	2009
		3 Phase Isolator with/without Earth switch	3	LI,TBI-FE,MBI-OLD	2012,OLD
	AKORHIGOLA	Line control & relay panel with Distance protection & O/C E/F protection	1	alstom	2017
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	LAMCO	2017
		1-Ph Current Transformer	3	FLORAL ELEC.	2006
		3 Phase Isolator with/without Earth switch	3	LI,TBI-FE,MBI-OLD	2012,OLD
	NASARIGANJ	Line control & relay panel with Distance protection & O/C E/F protection	1	alstom	2017
		3 Phase Circuit Breaker	1	CGL	2014
		PT	3	MEHRU	2017
		1-Ph Current Transformer	3	MEHRU	2017
		3 Phase Isolator with/without Earth switch	3	LI-FE,OLD	2012,OLD
		Line control & relay panel with Distance protection & O/C E/F protection	1	alstom	2017
33 KV Buscoupler					

Other Substation Equipments -

Battery Charger	CHARGER-1 CHARGER-2 CHARGER-3 CHARGER-4,5	300AH/250V 300AH/250V 300AH/250V 300AH/48V	1 1 1 2	CLORIDE AMRARAJA ELECTRO SERVICE AMRARAJA	2017 2018 2006 2008
	ACDB	440V			
			1	EAP	2018
			1	MAKTEL SYSTEM	2007
	DCDB(110V/48V)	1 2 250V		1 1 TRANGENTZ ENTER	1994 2018 2018
		250V,48V 250V,300AH 250V,300AH	1 1 2	EAP EXIDE HBL	2017 2014
	Battery bank				
	DG set			RUSTON AND HORN	1978
	PLCC Equipment	2. Battery Charger 3. Panel 4.telephone		1 ACPL ABB,BPL,PUNCO MM	
	Hydrant system with Pipe arrangement				
		Foam		3x50kg	10-07-1905
				7x25kg+3kg x10+4x5kg 9+9+9+2 Kg	10-07-1905 2018
	Earthing Rods			9.6 NOS OF LOCAL	2016
	Tools & Tackles(Spellers,Wrench etc.(Set/Piece)				
		D-TYPE	10	TAPARIA	
		RING-TYPE	10	TAPARIA	
		Drill machine(Big)	1		
		Drill machine(Small)	1		
		single pulley	2		
		double pulley	1		
		tullu pump	1		
		gallon 50 ltr	4		
		D cycle	2		
		hammer	2		
		hexa frame with blade	1		
		drum key	1		
		four sleeve pulley	1		
		copratue machine	1		
		pipe wrench	2		
		spanner	2		
		GOTI-WRENCH	16	TAPARIA	

		MEGGER	1	TAURUS
		MULTI METER	1	MOTWANI
		TAN DELTA KIT	1	MEGGER
		LINE FOULT DETECTOR	1	TAURUS
		BDV TEST KIT	2	BEACON
		THERMOVISION CAMRA	1	DALI TECH.
	Testing Equipments	PRIMARY INJECTION	1	MOTWANI
		hemlet	10	
	Safety Gear(Helmet,Gloves,Boot, etc.)	gloves	5	
		boot	6	

			URISA	
	SST	SST-1	33/.V4K,315KVA	1 TRANSFORMER ASSOCIATE
		SST-2	33/.V4K,315KVA	1 ELECTRICALS 2014

T-CONNECTOR(Z-Z,Z-P,M-D) 15
PG CLAMP(Z-Z) 3
PALM CONNECTOR 12

Spare Hardware Fitting.

TRANSFORMERS

SI No.	Make	Capacity	Voltage Ratio	Year of Manufacture	Year of Commissioning	PO Number & Date	Remarks
1 CGL		100MVA	220/132KV		2010		repaired by aditya company(2009),UNDER MAINTANACE
2 CGL		24447 100MVA	220/132KV	1978	1983 53 dated 13/10/77		
3 ABB		24082 100MVA	220/132KV	2009	2012		Repaired by ABB (2012)
4 CGL	13085/001	100MVA	220/132KV	1978	2014		repaired by aditya company(2013)
5 GEC		24081 50MVA	132/33KV	1987	1988		
6 BBL	B26780	50MVA	132/33KV	2009	2009		
7 BBL		50MVA	132/33KV	2015	2016		

Land Asset Details

GSS:-220/132/33KV GSS DOS

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates LAND DETAILS
10	Initial Area (In Acre)
11	Whether it was: (i) A Govt. Land (State type GM or) (ii) Private Land
	yes
	If Private Land, Whether (i) Purchased (ii) Acquired (iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	PLOT/KHATA-144/195 AND 36/17,65/184(0.56 ACRE)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Name of Circle:

DOS

Name of GSS:

DUMRAON

**LIST OF
EXISTING
EQUIPMENT
DETAILS**

Sl. No.		Name of Bay	Equipment Name	Quantity	Make
132 KV Line Bay	PGCIL (ARA)		Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM
			3 Phase Circuit Breaker	01	ALTOM
			1-Ph CVT	03	LAMCO
			LA	03	LAMCO
			1-Ph Current Transformer	03	ARTCHE X MUSA
			3 Phase Isolator with/without Earth switch	03	FARADAY
	BIKRAMGANJ		Line control & relay panel with Distance protection & O/C E/F protection	01	ABB

		3 Phase Circuit Breaker	01	ABB
		1-Ph CVT	03	CGL
		LA	03	LAMCO
		1-Ph Current Transformer	03	CGL
		3 Phase Isolator with/without Earth switch	03	
132 KV LINE BAY	BUXAR-I	Line control & relay panel with Differential protection & O/C E/F protection	01	SIEMENS
		3 Phase Circuit Breaker	01	SIEMENS
		LA	03	LAMCO
		1-Ph Current Transformer	03	CGL
		1-ph CVT	03	CGL
		3 Phase Isolator with/without Earth switch	03	
		Line control & relay panel with Differential protection & O/C E/F protection	01	SYSTEM AUTOMATION AND CONTROL
132 KV LINE BAY	BUXAR-II	3 Phase Circuit Breaker	01	SIEMENS

		LA	03	LAMCO
		1-Ph Current Transformer	03	SCT
		1-ph CVT	03	LAMCO
		3 Phase Isolator with/without Earth switch	03	SIEMENS
132 KV LINE BAY	KOCHAS	Line control & relay panel with Differential protection & O/C E/F protection	01	ALSTOM
		3 Phase Circuit Breaker	01	CGL
		LA	03	
		1-Ph Current Transformer	03	Vishal Transformers
		1-ph CVT	00	
		3 Phase Isolator with/without Earth switch	03	FARADAY

132 KV LINE bay	RAILWAY	Line control & relay panel with Distance protection & O/C E/F protection	01	NA
		2 Phase Circuit Breaker	01	CGL
		1 Ph CVT	00	
		LA	03	LAMCO
		1-Ph Current Transformer	02	SCT LTD.
		3 Phase Isolator with/without Earth switch	03	FARADAY
132 KV B/C bay	B/C	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM
		3 Phase Circuit Breaker		ALSTOM
		1 Ph PT	03	MEHRU VOLTAGE
		LA	03	LAMCO
		1-Ph Current Transformer	03	HEAVY ELE.
		3 Phase Isolator with/without Earth switch	03	FARADAY

132/33 KV Transformer bay(HV)	Transformer	Transformer control & relay panel with Differential protection & O/C E/F protection	02	T-1-ALSTOM T-2-POWERTECH CABCON
		3 Phase Circuit Breaker	02	T-1-CGL T-2- ALSTOM
		LA	06	LAMCO
		1-Ph Current Transformer	06	T-1-HEL BHOPAL T-2- SCT
		3 Phase Isolator with/without Earth switch	06	FARADAY
132/33 KV Transformer bay(LV)	Transformer	Transformer control & relay panel with Differential protection & O/C E/F protection	02	T-1-ALSTOM T-2-POWERTECH CABCON
		3 Phase Circuit Breaker	02	SCHNEIDER
		LA	06	LAMCO
		1-Ph Current Transformer	06	T-1-LAMCO NDUSTRIES T-2- SCT
		3 Phase Isolator with/without Earth switch	06	FARADAY

33 KV Buscoupler bay	B/C	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM
		3 Phase Circuit Breaker	01	SCHNEIDER
		1 Ph PT	03	MEHRU ELE. MECH. ENGG LTD
		LA	03	LAMCO
		1-Ph Current Transformer	03	R- FLORAL ELE. Y & B- MODERN ELECTRONICS
		3 Phase Isolator with/without Earth switch	03	FARADAY
33 KV Feeder	PRATAPSAGAR	Line control & relay panel with O/C E/F protection	01	ALSTOM
		3 Phase Circuit Breaker	01	SCHNEDIER
		LA	03	LAMCO
		1-Ph Current Transformer	03	R- VISHAL Y&B- FLORAL
		3 Phase Isolator with/without Earth switch	03	FARADAY

33 KV Feeder	MORAR	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM
		3 Phase Circuit Breaker	01	SCHNEIDER
		LA	02	
		1-Ph Current Transformer	03	MODERN ELECTRONICS
		3 Phase Isolator with/without Earth switch	03	FARADAY

33 KV Feeder	DUMRAON	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015
		3 Phase Circuit Breaker	01	SCHNEIDER	2015
		LA	03		2015
		1-Ph Current Transformer	03	SCT	2016
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015
	BRAHAMPUR	Line control & relay panel with Distance protection & O/C E/F protection	01	ALSTOM	2015

		3 Phase Circuit Breaker	01	SCHNEIDER	2015
		LA	02		2015
		1-Ph Current Transformer	03	R-MODERN Y&B-FLORAL	R- 2016 Y&B- 2009
		3 Phase Isolator with/without Earth switch	03	FARADAY	2015
		Line control & relay panel with Distance protection & O/C E/F protection (33KV SEMARI)	01	VENSON ELECTRIC	2010
		3 Phase Circuit Breaker (33KV SEMARI)	01	SCHNEIDER	2015
		LA (33KV SEMARI)	03		2015
		1-Ph Current Transformer (33KV SEMARI)	03	KEPCO	2009

		3 Phase Isolator with/without Earth switch (33KV SEMARI)	03	FARADAY	2015
--	--	---	----	---------	------

**Other Substation
Equipments -**

	Battery Charger	1	01	C H L O R I D E	2016
		2	01	A M A R A J A	2018
	ACDB		02	SYS CONT. & AUTOMATION	
	DCDB(110V/48V)		01	JVS ELE. PVT LTD.	
	Battery bank	1	01	E X C I	2016

			D E	
		2	01	H B L 2010
DG set		NA		
PLCC Equipment		1. Isolator		
		2. Battery Charger		
		3. Panel		
		4. telephone		
Hydrant system with Pipe arrangement				
Fire Fighting Equipment		10	AJAY INDUSTRIES	
Earthing Rods		06		
Tools & Tackles(Spanners, Wrench..etc.(Set/Piece)		01 Set	AVAILABLE	
Testing Equipments		09 Equipments		
Safety Gear(Helmet, Gloves, Boot, etc.)		AVAILAB LE		
SST		01	ASSOCIATED ELECTRICALS	
Spare Hardware Fitting.		NA		

GSS land assets

GSS:- Dumraon

	LOCATION	Dumraon
01	Name of GSS	Dumraon
02	Located at (Name of locality)	Dumraon
03	Block/Prakhand	Dumraon
04	Police Station (Thana)	Naya bhojpur O. P
05	Sub-Division	Dumraon
06	District	Buxar
07	Transmission Division	Ara
08	Transmission Circle	Dehri on sone
09	GPS Co-ordinates	25.5745N, 84.1365E
	LAND DETAILS	
10	Initial Area (In Acre)	12.67
11	Whether it was:	
	(i) A Govt. Land (State type GM or)	
	(ii) Private Land	Private land
	If Private Land, Whether	NA
	(i) Purchased	
	(ii) Acquired	
	(iii) Leased Land	
12	Year of Purchase/Acquisition	NA
13	Whether mutation completed	
14	Cost of the Land (At the time of procurement)	NA
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details	NA
16	Area of the extra land for GSS	NA
17	Cost	
20	Year of Purchase/lease of extra land	NA
21	Total area at present	12.67 Acres
	Details of Land (Khata/Khesara)	365/2967,366/2968,1232/2956,1232/2957,1232/2966
	Thana No.	154
	Name of Municipality/Nagar Parishad etc.	
	Ward No./Circle No./ Holding No.	15 Mauza Bhojpur Kadim
	Amount of Early Land related	NA

	Taxes	
	Taxes clear up to	NA
22	Land Records available with	NA

NA: not available

Name of Circle: DOS

Name of GSS: JAGDISHPUR

LIST OF EXISTING EQUIPMENT DETAILS

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV Line Bay	PGCIL (ARA)	Line control & relay panel with Distance protection & O/C E/F protection	01	ABB	2012	
			3 Phase Circuit Breaker	01	ABB	2012
			1-Ph CVT	03	CGL	2012
			LA	03	CGL	2012
			1-Ph Current Transformer	03	CGL	2012
			3 Phase Isolator with/without Earth switch	03	SIEMENS	2012
132/33KV TRANSFORMER BAY (HV)	T-1 (20 MVA) T-2 (50 MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	02	ABB	T-1- 2012 T-2- 2017	
			3 Phase Circuit Breaker	02	ABB	2012
		LA 1-Ph Current Transformer	06	CGL	2012	
			06	CGL	T-1- 2012 T-2- 2017	

		3 Phase Isolator with/without Earth switch	06	SIEMENS	2012
132/33 KV TRANSFORMER BAY (LV)	T-1 (20 MVA) T-2 (50 MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	02	ABB	2016
		3 Phase Circuit Breaker	02	ABB	T-1- 2012 T-2-2012
		LA	06	CGL	2012
		1-Ph Current Transformer	06	T-1-Vishal T-2-SCT	T-1-2012 T-2-2017
		3 Phase Isolator with/without Earth switch	06	SIEMENS	2012
132 KV B/C bay	B/C	Line control & relay panel with Distance protection & O/C E/F protection	01	ABB	2012
		3 Phase Circuit Breaker		ABB	2012
		1 Ph CVT	03	CGL	2012
		LA	03		2012
		1-Ph Current Transformer	03	CGL	2012
		3 Phase Isolator with/without Earth switch	03	SIEMENS	2012

		Line control & relay panel with Distance protection & O/C E/F protection	01	ABB	2012
		3 Phase Circuit Breaker	01	ABB	2012
		1 Ph PT	03	VISHAL	2012
		LA			
		1-Ph Current Transformer	03	VISHAL	2012
		3 Phase Isolator with/without Earth switch	03	SIEMENS	2012
33 KV Buscoupler bay	B/C	Line control & relay panel with O/C E/F protection	03	ABB	2012
		3 Phase Circuit Breaker	03	ABB	2012
		LA	09	CGL	2012
		1-Ph Current Transformer	09	VISHAL	2012
		3 Phase Isolator with/without Earth switch	09	SIEMENS	2012
33 KV Feeder	JAGDISHPUR BIHIYA GARHANI				

Other Substation Equipments -				
Battery Charger	1	01	AMARAJA	2012
	2	01	AMARAJA	2012
ACDB		02	SYS CONT. & AUTOMATION	2012
DCDB(110V/48V)		01	JVS ELE. PVT LTD.	2012
Battery bank	1	01	AMARAJA	2012
	2	01	AMARAJA	2012
DG set		01	CHUMINS	2012
PLCC Equipment	1.Isolator	00		
	2. Battery Charger	02		2012
	3. Panel	04	ABB	2012
	4.telephone	01		
Hydrant system with Pipe arrangement				
Fire Fighting Equipment	23		ZENITH	JUNE 2017
Earthing Rods	06			
Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)	01 Set	AVAILABLE		
Testing Equipments	09			
Safety Gear(Helmet,Gloves,Boot, etc.)	AVAILABLE			
SST	01	VIJAY ELE		2012
Spare Hardware Fitting.	NA			

land assets Details

GSS:- -Jagdishpur

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar

	Parishad etc.	
	Ward No./Circle No./ Holding No.	05
	Amount of Early Land related Taxes	----
	Taxes clear up to	N.A
22	Land Records available with	TSD Jagdsihur & Bihar Govt. Jagdsihpur Block Office

Details of Existing Equipment

Name of Circle:

Name of GSS:

Sl. No.	Voltage Level	Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1 Ph CVT			
			LA			
			1-Ph Current Transformer			
	2nd bay		3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1 Ph CVT			
			LA			
220/132 KV Transformer bay(HV)	1st bay		1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220/132 KV Transformer bay(LV)			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220 KV Buscoupler bay			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1 Ph PT			
132 KV Line bay			LA			
			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection	04	ALSTOM	
			3 Phase Circuit Breaker	04	ALSTOM	
132/33 KV Transformer bay(HV)			1 Ph CVT	10	CGL	
			LA	12	OBURN, ELPROM, FARADAY	
			1-Ph Current Transformer	12	SCT, HEL, SSG, TIEK, ARTECH, ASEA	
			3 Phase Isolator with/without Earth switch	12	FARADAY	
			Transformer control & relay panel with Differential protection & O/C E/F protection	03	ALSTOM	
			3 Phase Circuit Breaker	03	ALSTOM	
			LA	09	OBURN, Faraday, ALPRO	
			1-Ph Current Transformer	09	ARTECHE, Hepacast, Faraday,	
			3 Phase Isolator with/without Earth switch	09		

132/33 KV Transformer bay(LV)	Transformer control & relay panel with Differential protection & O/C E/F protection	ALSTOM (03)	ALSTOM
	3 Phase Circuit Breaker	Schneider (3)	
	LA	LAMCO	
	1-Ph Current Transformer	Modern electronics(6) Heptacore (3),	
132 KV Buscoupler bay	3 Phase isolator with/without Earth switch	(9)	Faraday
	Line control & relay panel with Distance protection & O/C E/F protection	1	ALSTOM 09/06/15
	3 Phase Circuit Breaker	1	ALSTOM 02/01/15
	1 Ph PT	—	—
	LA	—	—
	1-Ph Current Transformer	3	Vishal Frank. A switchgear Ltd. N.F
33 KV Feeder	3 Phase Isolator with/without Earth switch	2	Faraday 09/06/15
	Line control & relay panel with O/C E/F protection	07	ALSTOM-4 Tech-UP-1 Vensulelectric-2
	3 Phase Circuit Breaker	7	CGL, Schneider
	LA	21	LAMCO
	1-Ph Current Transformer	21	Modern electron. Advent Eng., Heptacore
	3 Phase Isolator with/without Earth switch	21	Siemens, Hirslum
33 KV Buscoupler	Line control & relay panel with Distance protection & O/C E/F protection	1	ALSTOM Sept 2017
	3 Phase Circuit Breaker	1	CGL 30/04/15
	1 Ph PT	—	—
	LA	—	—
	1-Ph Current Transformer	3	Heptacore 30/04/15
	3 Phase Isolator with/without Earth switch	2	Siemens 30/04/15

Other Substation Equipments -

Battery Charger	1	1	AZ-Electro. 2015-16
	2	2	AFFCB (Chloride power system) 2014
ACDB		1	very old
DCDB(110V, 48V)		1	very old
Battery bank	1	1	Exide 2015
	2	2	Exide 2014
DG set		—	Not Available
PLCC Equipment	1. Isolator	1	ELTEK
	2. Battery Charger	4	ALSTOM, ABB
	3. Panel	1	
	4. telephone		
Hydrant system with Pipe arrangement			
Fire Fighting Equipment		6	Available
Earthing Rods			Multimeter, megger, Earth resistance meter.
Tools & Tackles(Spanners, Wrench, etc (Set/Piece)			Helmet, gloves Available.
Testing Equipments		2	
Safety Gear(Helmet, Gloves, Boot, etc.)			Available
>>T			
Spare Hardware Fitting			

Sample format for GSS land assets

GSS:- KARAMNASA

LOCATION

01 Name of GSS	GSS KARAMNASA
02 Located at (Name of locality)	KARAMNASA
03 Block/Prakhand	DURGAWATI
04 Police Station (Thana)	DURGAWATI
05 Sub-Division	MOHANIA
06 District	KAIMUR
07 Transmission Division	DEHRI-ON-SONE
08 Transmission Circle	DEHRI-ON-SONE
09 GPS Co-ordinates	25.2361, 83.4352

LAND DETAILS

10 Initial Area (In Acre)	11.56 Acres
---------------------------	-------------

11 Whether it was:

(i) A Govt. Land (State type GM or)

Private Land

PRIVATE LAND

If Private Land, Whether

Purchased

PURCHASED

(ii) Acquired

(iii) Leased Land

12 Year of Purchase/ Acquisition

YES

13 Whether mutation completed

14 Cost of the Land (At the time of procurement)

15 Whether more land was purchased /acquired/ Leased in for GSS Extension work?

If yes, Give details

16 Area of the extra land for GSS

17 Cost

20 Year of Purchase/lease of extra land

21 Total area at present

Details of Land (Khata/Khesara)

Thana No

Name of Municipality/Nagar Parishad etc

Ward No./Circle No./ Holding No.

Amount of Early Land related Taxes

Taxes clear up to

22 Land Records available with

11.56 Acres

43 (KHATA), 42 (Khesra), MAUJA - CHHAJU
CO4

Details of Existing Equipment

Name of Circle: Dehri

Name of GSS: Kochas

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
			1-Ph Current Transformer			
	2nd bay..		3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
220/132 KV Transformer bay(HV)	1st bay..		1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220/132 KV Transformer bay(LV)			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220 KV Buscoupler bay			1-Ph Current Transformer			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1 Ph PT			
			LA			

		3 Phase Isolator with/without Earth switch			
132 KV Line bay		Line control & relay panel with Distance protection & O/C E/F protection	4	03 ABB &01ERL	2014
		3 Phase Circuit Breaker	4	03ABB &01Sieme	2014
		1 Ph CVT	12	CGL	2014
		LA	12	CGL	2014
		1-Ph Current Transformer	12	03CGL&01MEHR	2014
		3 Phase Isolator with/without Earth switch	8	Siemens	2014
132/33 KV Transformer bay(HV)		Transformer control & relay panel with Differential protection & O/C E/F protection	2	ABB	2014
		3 Phase Circuit Breaker	2	ABB	2014
		LA	6	CGL	2014
		1-Ph Current Transformer	6	CGL	2014
		3 Phase Isolator with/without Earth switch	4	Siemens	2014
132/33 KV Transformer bay(LV)		Transformer control & relay panel with Differential protection & O/C E/F protection	2	ABB	2014
		3 Phase Circuit Breaker	2	ABB	2014
		LA	6	CGL	2014
		1-Ph Current Transformer	6	VTS	2014
		3 Phase Isolator with/without Earth switch	4	Siemens	2014
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2014
		3 Phase Circuit Breaker	1	ABB	2014
		1 Ph PT	1	CGL	2014
		LA	0		
		1-Ph Current Transformer	1	CGL	2014
		3 Phase Isolator with/without Earth switch	2	Siemens	2014
33 KV Feeder		Line control & relay panel with O/C E/F protection	4	ABB	2014
		3 Phase Circuit Breaker	4	ABB	2014
		LA	12	CGL	2014
		1-Ph Current Transformer	12	VTS	2014
		3 Phase Isolator with/without Earth switch	8	Siemens	2014
		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2014
		3 Phase Circuit Breaker	1	ABB	2014

	33 KV Buscoupler	1 Ph PT	3	L.E.	2014
		LA	0		
		1-Ph Current Transformer	3	ABB	2014
		3 Phase Isolator with/without Earth switch	2	Siemens	2014
Other Substation Equipments -					
PLCC Equipment	Battery Charger	1	2,one 48V	Amara raja	2014
		2	2,one 48V	Amara raja	2014
	ACDB		3	VIKASH	2014
	DCDB(110V/48V)		1	VIKASH	2014
	Battery bank	1	1	Amara raja	2014
		2	2,one 48V	Amara raja	2014
	DG set		1	Powerica	2014
	1.Isolator		0		
	2. Battery Charger		1	ABB	2014
	3. Panel	2set	ABB		2014
	4.telephone	2set			
	Hydrant system with Pipe arrangement		0		
	Fire Fighting Equipment		19	BC zenith	2014
	Earthing Rods		6		
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)		10	Taparia	
	Testing Equipments			Oil testing kit&Multimeter	
	Safety Gear(Helmet,Gloves,Boot, etc.)		4		
	SST		1	Vijay electricals	2014
	Spare Hardware Fitting.		0		

Sample format for GSS land assets

GSS:- 132/33kv GSS Kochas

	LOCATION	KOCHAS
01	Name of GSS	KOCHAS
02	Located at (Name of locality)	KOCHAS, ROHTAS
03	Block/Prakhand	KOCHAS
04	Police Station (Thana)	KOCHAS
05	Sub-Division	KOCHAS
06	District	ROHTAS
07	Transmission Division	DEHRI-ON-SONE
08	Transmission Circle	DEHRI-ON-SONE
09	GPS Co-ordinates	Latitude 25.239479,Longitude 83.918678
	LAND DETAILS	
10	Initial Area (In Acre)	
11	Whether it was:	
	(i) A Govt. Land (State type GM or)	Govt.land
	(ii) Private Land	
	If Private Land, Whether	
	(i) Purchased	
	(ii) Acquired	
	(iii) Leased Land	
12	Year of Purchase/Acquisition	2012
13	Whether mutation completed	
14	Cost of the Land (At the time of procurement)	
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details	No
16	Area of the extra land for GSS	No
17	Cost	
20	Year of Purchase/lease of extra land	
21	Total area at present	
	Details of Land (Khata/Khesara)	
	Thana No.	
	Name of Municipality/Nagar Parishad etc.	Kochas
	Ward No./Circle No./ Holding No.	
	Amount of Early Land related Taxes	
	Taxes clear up to	
22	Land Records available with	

Details of Existing Equipment

Name of Circle: Dehri-on-sone

Name of GSS: 132/33kv GSS Kudra

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection	NA		
			3 Phase Circuit Breaker	NA		
			1-Ph CVT	NA		
			LA	NA		
			1-Ph Current Transformer	NA		
			3 Phase Isolator with/without Earth switch	NA		
	2nd bay..			NA		
			Line control & relay panel with Distance protection & O/C E/F protection	NA		
			3 Phase Circuit Breaker	NA		
			1-Ph CVT	NA		
220/132 KV Transformer bay(HV)	1st bay..		LA	NA		
			1-Ph Current Transformer	NA		
			3 Phase Isolator with/without Earth switch	NA		
			Transformer control & relay panel with Differential protection & O/C E/F protection	NA		
	220/132 KV Transformer bay(LV)		3 Phase Circuit Breaker	NA		
			LA	NA		
			1-Ph Current Transformer	NA		
			3 Phase Isolator with/without Earth switch	NA		
220 KV Buscoupler bay			Transformer control & relay panel with Differential protection & O/C E/F protection	NA		
			3 Phase Circuit Breaker	NA		
			1 Ph PT	NA		
			LA	NA		
			1-Ph Current Transformer	NA		

		3 Phase Isolator with/without Earth switch	NA		
132 KV Line bay		Line control & relay panel with Distance protection & O/C E/F protection			20/12/2013(Kudra-Dehri),06/08/2014(Kudra-kochas),23/08/2014(Kudra-pushauli)
		3 Phase Circuit Breaker	3 ABB	do	
		1 Ph CVT	9 CGL	do	
		LA	9 CGL	do	
		1-Ph Current Transformer	9 CGL	do	
		3 Phase Isolator with/without Earth switch	9 Siemens LTD.	do	
132/33 KV Transformer bay(HV)		Transformer control & relay panel with Differential protection & O/C E/F protection	2 ABB		20/12/2013(ict-1), 26/08/2014(ict-2)
		3 Phase Circuit Breaker	2 ABB	do	
		LA	6 CGL	do	
		1-Ph Current Transformer	6 CGL	do	
		3 Phase Isolator with/without Earth switch	6 Siemens LTD.	do	
132/33 KV Transformer bay(LV)		Transformer control & relay panel with Differential protection & O/C E/F protection	2 ABB		20/12/2013(ict-1), 26/08/2014(ict-2)
		3 Phase Circuit Breaker	2 ABB	do	
		LA	6 CGL	do	
		1-Ph Current Transformer	Vishal transformer & 6 switch gears	do	
		3 Phase Isolator with/without Earth switch	6 Siemens LTD.	do	
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1 ABB		6/8/2014
		3 Phase Circuit Breaker	1 ABB		6/8/2014
		1 Ph PT	3 CGL		6/8/2014
		LA	0		
		1-Ph Current Transformer	3 CGL		6/8/2014
		3 Phase Isolator with/without Earth switch	2 Siemens LTD.		6/8/2014
33 KV Feeder		Line control & relay panel with O/C E/F protection			22/02/2014-kudra, 03/06/2015-bhabua, 31/08/2015-parshathua
		3 Phase Circuit Breaker	4 ABB	do	
		LA	12 CGL	do	
		1-Ph Current Transformer	Vishal transformer & switch gears	do	

		3 Phase Isolator with/without Earth switch	12	Siemens LTD.	do
33 KV Buscoupler		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	14/10/2014
		3 Phase Circuit Breaker	1	ABB	14/10/2014
		1 Ph PT	3	Vishal transformer & switch gears	14/10/2014
		LA	0		
		1-Ph Current Transformer	3	Vishal transformer & switch gears	14/10/2014
		3 Phase Isolator with/without Earth switch	3	Siemens LTD.	14/10/2014

Other Substation Equipments -

Battery Charger	1	1	Amara raja	25/12/2013
	2	1	Amara raja	25/12/2013
ACDB		3	Vikash engineering	2013
DCDB(110V/48V)		2	Vikash engineering	2013
Battery bank	1	1	Amara raja	25/12/2013
	2	1	Amara raja	25/12/2013
DG set		1	POWERICA	7/1/2014
PLCC Equipment	1.Isolator			
	2. Battery Charger			
	3. Panel	7	ABB	2015
	4.telephone	7	ABB	2015
Hydrant system with Pipe arrangement		0		
Fire Fighting Equipment		22	zenith	
Earthing Rods		6		
Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)		30		
Testing Equipments		3	fluke, jost's engineering company LTD.	
Safety Gear(Helmet,Gloves,Boot, etc.)		5		
SST		1	Vijay electrical LTD.	20/12/2013
Spare Hardware Fitting.		0		

regards
AEE/TSD/KUDRA

Sample format for GSS- land assets

GSS:- Kudra

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Detail of Existing Equipment

Name of Circle: Dehri-on-sone

Name of GSS: Mohania

Sl no		Name of bay	Equipment Name	Quantity	Make	Year of Commissioning
1	132KV Line Bay	Karamnasa Bay	Line control & relay panel with distance protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			1 Ph CVT	3	CGL	2005
			LA	3	Elpro	2005
			1-Ph CT	3	CGL	2005
			3-ph Isolator with/without earth switch.	3 set	Elpro	2005
2	132KV Line Bay	Pusauli Bay	Line control & relay panel with distance protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			1 Ph CVT	3	CGL	2005
			LA	3	Elpro	2005
			1-Ph CT	3	CGL	2005
			3-ph Isolator with/without earth switch.	3 set	Elpro	2005
3	132KV Line Bay	Ramgarh Bay	Line control & relay panel with distance protection & O/C, E/F protection.	1	ERL	2015
			3 phase circuit breaker	1	seimens	2015
			1 Ph CVT	3	MEHRU	2015
			LA	3	CGL	2015
			1-Ph CT	3	CGL	2015
			3-ph Isolator with/without earth switch.	3 set	Seimens	2015

4	132KV Transformer (HV)	ICT 1	Transformer control & relay panel with differential protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			LA	3	CGL	2005
			1-Ph CT	3	CGL	2005
			3-ph Isolator with/without earth switch.	3set	Elpro	2005
5	132KV Transformer (HV)	ICT 2	Transformer control & relay panel with differential protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			LA	3	CGL	2005
			1-Ph CT	3	CGL	2005
			3-ph Isolator with/without earth switch.	3set	Elpro	2005
6	132KV Bus coupler Bay		Line control & relay panel with distance protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			1 Ph PT	3	CGL	2005
			1-Ph CT	3	CGL	2005
			3-ph Isolator with/without earth switch.	2set	Elpro	2005
7	33KV Line Bay	Chainpur Bay	Line control & relay panel with O/C, E/F protection.	1	Vidhut Control System(VCS)	2006
			3 phase circuit breaker	1	Areva	2006
			LA	3	Elpro	2006
			1-Ph CT	3	VCS	2006
			3-ph Isolator with/without earth switch.	3set	Eletrolite	2006

8	33KV Line Bay	Mohania Bay	Line control & relay panel with O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	CGL	2011
			LA	3	Elpro	2005
			1-Ph CT	3	Advent	2016
			3-ph Isolator with/without earth switch.	3set	Elpro	2005
9	33KV Line Bay	Bhabhua Bay	Line control & relay panel with O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	CGL	2014
			LA	3	Elpro	2005
			1-Ph CT	3	VCS	2005
			3-ph Isolator with/without earth switch.	3set	Elpro	2005
10	33KV Line Bay	Bahuara Bay	Line control & relay panel with O/C, E/F protection.	1	Vension	2006
			3 phase circuit breaker	1	Areva	2006
			LA	3	Elpro	2005
			1-Ph CT	3	VCS	2006
			3-ph Isolator with/without earth switch.	3set	Eletrolite	2005
11	33KV Transformer Bay	ICT 1 Bay	Transformer control & relay panel with differential protection & O/C, E/F protection.	1	ABB	2005
			3 phase circuit breaker	1	ABB	2005
			LA	3	Elpro	2005
			1-Ph CT	3	Lamco	2017
			3-ph Isolator with/without earth switch.	3set	Faraday Electric	2017

12	33KV Transformer Bay	ICT 2 Bay	Transformer control & relay panel with differential protection & O/C, E/F protection. 3 phase circuit breaker LA 1-Ph CT 3-ph Isolator with/without earth switch.	1 1 3 3 3set	ABB CGL Elpro VCS Elpro	2005 2017 2005
13	33KV Bus coupler Bay		Line control & relay panel with O/C, E/F protection. 3 phase circuit breaker 1 Ph PT 1-Ph CT 3-ph Isolator with/without earth switch.	1 1 3 3 2set	ABB ABB VCS VCS Elpro	2005 2005 2005 2005 2005
14	132/33KV Transformer	ICT 1 (50 MVA)		1	EMCO	2015
15	132/33KV Transformer	ICT 2 (20 MVA)		1	INDO TECH	2005

Other Substation Equipments:-

Sl no	Battery Charger 1		1	HBL Nife	2005	
	2		1	HBL Nife	2005	
	ACDB		13	Market system	2005	
	DCDB(110/48V)		6	Market system	2005	
	Battery Bank 1		1set	HBL Nife	2005	
	2		1set	Exide	2016	
	PLCC Equipment	Battery charger	1	HBL Nife	2005	
		Battery bank	1set	HBL Nife	2005	
		Panel	2	ABB	2005	
			1 2	BPL PUNCOM	2005	
	Fire fightning equipment		7 CO ₂ 5 DCP	NFPI	2005	
	Testing equipment		1no Fault locator 1no IR tester	Taurus Shivnanda electronis	2005	

		1 no SF6 gas filling device		
	DG set	1	Sudhir	2005
	SST(315 KVA)	1	Conventional type	2005

Sample format for GSS land assets

GSS:- Mohania

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: DEHRI ON DONE Name of GSS: 132/33 KV GSS Piro

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
132 KV bikramganj line bay			Line control & relay panel with Distance protection & O/C E/F protection	1		
			1 sel			2017
			3 Phase Circuit Breaker	1	ABB	2017
			1 Ph CVT	3	CGL	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017
132 KV spare line bay			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	
			1 sel			2017
			3 Phase Circuit Breaker	1	ABB	2017
			1 Ph CVT	3	CGL	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017
132/33 KV Transformer No-1 bay(HV)			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	
			Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2017
			3 Phase Circuit Breaker	1	ABB	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017
			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	2017
132/33 KV Transformer No-2 bay(HV)			Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2017
			3 Phase Circuit Breaker	1	ABB	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017
			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	2017
			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	2017
132/33 KV Transformer No-1 bay(LV)			Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2017
			3 Phase Circuit Breaker	1	SCHNEIDER 1 ALSTOM	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017
			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	2017
			3 Phase Isolator with/without Earth switch		faraday 3 electrical ltd.	2017
132/33 KV Transformer No-2 bay(LV)			Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2017
			3 Phase Circuit Breaker	1	SCHNEIDER 1 ALSTOM	2017
			LA	3	ABB	2017
			1-Ph Current Transformer	3	SCT LTD	2017

		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	1 ABB	2017
		1 Ph PT	3 CGL	2017
		LA	0	2017
		1-Ph Current Transformer	3 SCT LTD	2017
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
33 KV PIRO Feeder		Line control & relay panel with O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
		LA	3 ABB	2017
		1-Ph Current Transformer	3 SCT LTD	2017
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
		Line control & relay panel with O/C E/F protection	1 sel	2017
33 KV DOMANDHIRA BAY		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
		LA	3 ABB	2017
		1-Ph Current Transformer	3 SCT LTD	2017
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
		Line control & relay panel with O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
33 KV KATARIA BAY		LA	3 ABB	2017
		1-Ph Current Transformer	3 SCT LTD	2017
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
		Line control & relay panel with O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
		LA	3 ABB	2017
33 KV SPARE BAY		1-Ph Current Transformer	0	
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
		Line control & relay panel with Distance protection & O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
		1 Ph PT	3 SCT LTD	2017
		LA	0	2017
33 KV Buscoupler		1-Ph Current Transformer	2 SCT LTD	2017
		3 Phase Isolator with/without Earth switch	faraday 3 electrical ltd.	2017
		Line control & relay panel with Distance protection & O/C E/F protection	1 sel	2017
		3 Phase Circuit Breaker	SCHNEIDER 1 ALSTOM	2017
		1 Ph PT	3 SCT LTD	2017
		LA	0	2017
	TRANSFORMERS	T1	CAPACITY 20MVA	1 INDOTECH 2017

	T2	CAPACITY 20MVA	1	ABB	2017
Other Substation Equipments -					
	Battery Charger	1	1	CHLORIDE POWER SYSTEM AND SOLUTION LTD.	2017
		2	1	CHLORIDE POWER SYSTEM AND SOLUTION LTD.	2017
	ACDB-1A		1	ASIAN SWITCHGEAR	2017
	ACDB(ELDB)		1	ASIAN SWITCHGEAR	2017
	ACDB(MLDB)		1	ASIAN SWITCHGEAR	2017
	ACDB		1	ASIAN SWITCHGEAR	2017
	DCDB(250)		1	ASIAN SWITCHGEAR	2017
	DCDB(48V)		1	ASIAN SWITCHGEAR	2017
	Battery bank	1	125	EXIDE	2017
		2	125	EXIDE	2017
	Battery bank(48V)	1	24	EXIDE	2017
		2	24	EXIDE	2017
	DG set		1	KIRLOSKAR	2017
	PLCC Equipment	1.Isolator	0		
		2. Battery Charger	2	CHLORIDE POWER SYSTEM AND SOLUTION LTD.	2017
		3. Panel	5	CGL	
		4.telephone			
	Hydrant system with Pipe arrangement		0		
	Fire Fighting Equipment		8		
	Earthing Rods		6		
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)		0		
	Testing Equipments		2		
	Safety Gear(Helmet,Gloves,Boot, etc.)		22		
	SST		2		2017
	Spare Hardware Fitting.		0		

GSS land assets

GSS:- 132/33KV PIRO

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara) KHATA-457,1319 Khesra-3942,3958,3959 MAOJA- JITORA JANGAL MEHAL
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: Dehri On Sone

Name of GSS: 220/132/33 kV GSS Pusauli

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	Dehri Ckt-1		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	Siemens	2016
			1-Ph CVT	3	BHEL	2016
			LA	3	Oblum Electrical	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	4	G R Power	2016
	Dehri Ckt-2		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	Siemens	2016
			1-Ph CVT	3	BHEL	2016
			LA	3	Oblum Electrical	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	4	G R Power	2016
	Ara PG Ckt-1		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	Siemens	2016
			1-Ph CVT	3	BHEL	2016
			LA	3	Oblum Electrical	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	4	G R Power	2016
	Pusauli PG Ckt-1		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
			3 Phase Circuit Breaker	1	Siemens	2016
			1-Ph CVT	3	BHEL	2016
			LA	3	Oblum Electrical	2016
			1-Ph Current Transformer	3	BHEL	2016
			3 Phase Isolator with/without Earth switch	4	G R Power	2016
			Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2015
			3 Phase Circuit Breaker	1	Siemens	2015
			1-Ph CVT	3	BHEL	2015

	Pusauli PG Ckt-2	LA	3	Oblum Electrical	2015
		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	4	G R Power	2015
220/132 KV Transformer bay(HV)	Ara PG Ckt-2	Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
		1-Ph CVT	3	BHEL	2015
		LA	3	Oblum Electrical	2015
		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	4	G R Power	2015
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ERL	2016
220/132 KV Transformer bay(LV)	150 MVA ICT-1(BHEL MAKE)	3 Phase Circuit Breaker	1	Siemens	2016
		LA	3	Oblum Electrical	2016
		1-Ph Current Transformer	3	BHEL	2016
		3 Phase Isolator with/without Earth switch	4	G R Power	2016
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
		LA	3	Oblum Electrical	2015
220/132 KV Transformer bay(LV)	150 MVA ICT-2(BHEL MAKE)	1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	4	G R Power	2015
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ERL	2016
		3 Phase Circuit Breaker	1	Siemens	2016
		LA	3	Oblum Electrical	2016
		1-Ph Current Transformer	3	BHEL	2016
		3 Phase Isolator with/without Earth switch	3	G R Power	2016
220/132 KV Transformer bay(LV)	150 MVA ICT-1(BHEL MAKE)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
		LA	3	Oblum Electrical	2015
		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	3	G R Power	2015
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
220/132 KV Transformer bay(LV)	150 MVA ICT-2(BHEL MAKE)	LA	3	Oblum Electrical	2015

		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	3	G R Power	2015
10 KV Transfer Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
		3 Phase Circuit Breaker	1	Siemens	2016
		1 Ph PT	NA	NA	
		LA	NA	NA	
		1-Ph Current Transformer	3	BHEL	2016
		3 Phase Isolator with/without Earth switch	3	G R Power	2016
220 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
		3 Phase Circuit Breaker	1	Siemens	2016
		1 Ph PT	NA	NA	
		LA	NA	NA	
		1-Ph Current Transformer	3	BHEL	2016
		3 Phase Isolator with/without Earth switch	2	G R Power	2016
132 KV Line bay	Kudra TSS	Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
		1 Ph CVT	3	BHEL	2015
		LA	3	Oblum Electrical	2015
		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	3	G R Power	2015
	Sasaram	Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2015
		3 Phase Circuit Breaker	1	Siemens	2015
		1 Ph CVT	3	BHEL	2015
		LA	3	Oblum Electrical	2015
		1-Ph Current Transformer	3	BHEL	2015
		3 Phase Isolator with/without Earth switch	3	G R Power	2015
	Kochas	Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
		3 Phase Circuit Breaker	1	Siemens	2016
		1 Ph CVT	3	BHEL	2016
		LA	3	Oblum Electrical	2016

		1-Ph Current Transformer	3	BHEL	2016
		3 Phase Isolator with/without Earth switch	3	G R Power	2016
		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL	2016
	Ramgarh	3 Phase Circuit Breaker	1	Siemens	2016
		1 Ph CVT	3	CGL	2016
		LA	3	CGL	2016
		1-Ph Current Transformer	3	Mehru	2016
		3 Phase Isolator with/without Earth switch	3	Siemens	2016
	Mundeshwari	Line control & relay panel with Distance protection & O/C E/F protection	1	System Control & Automation	2017
		3 Phase Circuit Breaker	1	CGL	2017
		1 Ph CVT	3	CGL	2017
		LA	3	CGL	2017
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd	2017
		3 Phase Isolator with/without Earth switch	3	J D Electricals	2017
132/33 KV Transformer bay(HV)	50 MVA T-1(Kanohar Make)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Venson	2016
		3 Phase Circuit Breaker	1	CGL	2016
		LA	3	Lamco Industries	2016
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd	2016
		3 Phase Isolator with/without Earth switch	3	Siemens	2016
	50 MVA T-2(Kanohar Make)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Venson	2016
		3 Phase Circuit Breaker	1	CGL	2016
		LA	3	Lamco Industries	2016
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd	2016
		3 Phase Isolator with/without Earth switch	3	Siemens	2016
	50 MVA T-1(Kanohar Make)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Venson	2016
		3 Phase Circuit Breaker	1	CGL	2016
		LA	3	Lamco Industries	2016

132/33 KV Transformer bay(LV)	50 MVA T-2(Kanohar Make)	1-Ph Current Transformer	3	Heptacare Power Industries Ltd
		3 Phase Isolator with/without Earth switch	3	Siemens
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	Venson
		3 Phase Circuit Breaker	1	CGL
		LA	3	Lamco Industries
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd
		3 Phase Isolator with/without Earth switch	3	Siemens
132 KV Buscoupler bay		Line control & relay panel with Distance protection & O/C E/F protection	1	ERL
		3 Phase Circuit Breaker	1	Siemens
		1 Ph PT	NA	NA
		LA	NA	NA
		1-Ph Current Transformer	3	BHEL
		3 Phase Isolator with/without Earth switch	2	G R Power
33 KV Feeder	1-9 feeder	Line control & relay panel with O/C E/F protection	1	Venson
		3 Phase Circuit Breaker	1	CGL
		LA	3	Lamco Industries
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd
		3 Phase Isolator with/without Earth switch	3	Siemens
		Line control & relay panel	1	Venson
Station Equipment	33 KV Buscoupler	3 Phase Circuit Breaker	1	CGL
		1 Ph PT	NA	NA
		LA	NA	NA
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd
		3 Phase Isolator with/without Earth switch	3	Siemens
		Line control & relay panel	1	Venson
	PLCC Equipment	3 Phase Circuit Breaker	1	CGL
		1 Ph PT	NA	NA
		LA	NA	NA
		1-Ph Current Transformer	3	Heptacare Power Industries Ltd
		3 Phase Isolator with/without Earth switch	3	Siemens
		Battery Charger	2	Statkon
		1	220 V	2015
		2	48 V	2015
		ACDB	1 Set	Anand Power
		DCDB(110V/48V)	1 Set	Anand Power
		Battery bank	2 Set	Exide Dry Cell
		1	220 V	2015
		2	48 V	2015
		DG set	1	Kirlosker
		1. Isolator	NA	
	PLCC Equipment	2. Battery Charger	NA	
		3. Panel	11 & 6	Puncom & ABB
				2015 & 2016

	4.telephone	NA		
	Hydrant system with Pipe arrangement	1 Set	Flowmore & CGL	2017
	Fire Fighting Equipment	30	Kanadia Fyr Fighter Pvt.Ltd	2016-17
	Earthing Rods	3	Agni	2017
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)	1 Set		2017
	Testing Equipments	1 Set	BDV, Megger,DMM,S F6 Plant,CB test kit,Oil Filtration Plant,Oil sampling Bottel, Primary and Secondry injection Etc.	2016-17
	Safety Gear(Helmet,Gloves,Boot, etc.)	4,4,2		2017
	SST	2	Urja Techniques Pvt Ltd	2015 & 2016
	Spare Hardware Fitting.	1 Set	Male Female Iso Contact, PG clamps, T clamps Etc.	2016-17

Land Asset Details

GSS:-220/132/33KV GSS PUSAULI

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was:
	(i) A Govt. Land (State type GM or)
	(ii) Private Land
	If Private Land, Whether
	(i) Purchased
	(ii) Acquired
	(iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present
	Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

Details of Existing Equipment

Name of Circle: Dehri On Sone

Name of GSS: 132/33KV Gss Sasaram

Sl. No.		Name of Bay	Equipment Name	Quantity	Make	Date of Commissioning
220 KV Line Bay	1st bay		Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
			1-Ph Current Transformer			
	2nd bay..		3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1-Ph CVT			
			LA			
220/132 KV Transformer bay(HV)	1st bay..		1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220/132 KV Transformer bay(LV)			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Transformer control & relay panel with Differential protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			LA			
220 KV Buscoupler bay			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection			
			3 Phase Circuit Breaker			
			1 Ph PT			
Dehri Line Bay			LA			
			1-Ph Current Transformer			
			3 Phase Isolator with/without Earth switch			
			Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Oct.2005
			3 Phase Circuit Breaker	1	ABB	Oct.2005
			1 Ph CVT	3	CGL	Oct.2005
			LA	3		Oct.2005
			1-Ph Current Transformer	3	CGL	Oct.2005
			3 Phase Isolator with/without Earth switch	3	Elpro International Ltd.	Oct.2005
			Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Oct.2005
Kudra Line Bay			3 Phase Circuit Breaker	1	ABB	Oct.2005
			1 Ph CVT	3	CGL	Oct.2005
			LA	3	Elpro International Ltd.	Oct.2005
			1-Ph Current Transformer	3	CGL	Oct.2005
			Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Oct.2005

		3 Phase Isolator with/without Earth switch	3	Elpro International Ltd.	Oct.2005
132 KV Line bay					
Banjari Line (First ckt.)	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Mar-14	
	3 Phase Circuit Breaker	1	ABB	Mar-14	
	1 Ph CVT	3	CGL	Mar-14	
	LA	3	CGL	Mar-14	
	1-Ph Current Transformer	3	CGL	Mar-14	
	3 Phase Isolator with/without Earth switch	3	Siemens	Mar-14	
Banjari Line (Second ckt.)	Line control & relay panel with Distance protection & O/C E/F protection	1	System control and automation pvt.ltd.	2017	
	3 Phase Circuit Breaker	1	Siemens	2017	
	1 Ph CVT	3	Siemens	2017	
	LA	3	CGL	2017	
	1-Ph Current Transformer	3	SCT	2017	
	3 Phase Isolator with/without Earth switch	3	Siemens	2017	
132/33 KV Transformer bay(HV) (2*20MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	Oct.2005	
	3 Phase Circuit Breaker	1	ABB	Oct.2005	
	LA	3		Oct.2005	
	1-Ph Current Transformer	3	CGL	Oct.2005	
	3 Phase Isolator with/without Earth switch	3	Elpro International Ltd.	Oct.2005	
132/33 KV Transformer bay(LV) (2*20MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	Oct.2005	
	3 Phase Circuit Breaker	1	ABB	Oct.2005	
	LA	3	Elpro	Oct.2005	
	1-Ph Current Transformer	3	Vidyuth control system ltd.	Oct.2005	
	3 Phase Isolator with/without Earth switch	3	CGL	Oct.2005	
132/33 KV Transformer bay(HV) (50MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	System control and automation pvt.ltd.	Oct.2017	
	3 Phase Circuit Breaker	1	CGL	Oct.2017	
	LA	3	CGL	Oct.2017	
	1-Ph Current Transformer	3	SCT	Oct.2017	
	3 Phase Isolator with/without Earth switch	3	P.R.Engg.works	Oct.2017	
132/33 KV Transformer bay(LV) (50MVA)	Transformer control & relay panel with Differential protection & O/C E/F protection	1	System control and automation pvt.ltd.	Oct.2017	
	3 Phase Circuit Breaker	1	CGL	Oct.2017	
	LA	3	CGL	Oct.2017	
	1-Ph Current Transformer	3	SCT	Oct.2017	
	3 Phase Isolator with/without Earth switch	3	P.R.Engg.works	Oct.2017	
132 KV Buscoupler bay	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Oct.2005	
	3 Phase Circuit Breaker	1	ABB	Oct.2005	
	1 Ph PT	1	CGL	Oct.2005	
	LA	0		Oct.2005	
	1-Ph Current Transformer	3	Vidyuth control system ltd.	Oct.2005	
	3 Phase Isolator with/without Earth switch	2	Elpro International Ltd.	Oct.2005	

			both Indotech	Oct-05
			Alstom	16-Nov-17
33 KV Feeder	Sasaram	Line control & relay panel with O/C E/F protection	1	Aug-15
		3 Phase Circuit Breaker	1	CGL
		LA	3	Elpro International Ltd.
		1-Ph Current Transformer	3	Vidyuth control system ltd.
		3 Phase Isolator with/without Earth switch	3	P.R.Engg.works
	Takiya	Line control & relay panel with O/C E/F protection	1	ABB
		3 Phase Circuit Breaker	1	Siemens
		LA	3	Elpro International Ltd.
		1-Ph Current Transformer	3	Vidyuth control system ltd.
		3 Phase Isolator with/without Earth switch	3	Elpro International Ltd.
33 KV Buscoupler	Shivsagar	Line control & relay panel with O/C E/F protection	1	ABB
		3 Phase Circuit Breaker	1	Areva
		LA	3	Elpro International Ltd.
		1-Ph Current Transformer	3	Vidyuth control system ltd.
		3 Phase Isolator with/without Earth switch	3	Elpro International Ltd.
	Chenari	Line control & relay panel with O/C E/F protection	1	Venson electric
		3 Phase Circuit Breaker	1	CGL
		LA	3	Elpro International Ltd.
		1-Ph Current Transformer	3	Vidyuth control system ltd.
		3 Phase Isolator with/without Earth switch	3	EIEKTROLITES

Other Substation Equipments -

	Battery Charger	1	1	AZ	2015
		2	1	HBL NIFE	2004
	ACDB		2	MAKTEL SYSTEM	2005
	DCDB(110V/48V)		1	MAKTEL SYSTEM	2005
	Battery bank	1	1	EXide	2015
		2	1	Exide	2012
	DG set		1	SUDHIR GENSETS LTD.	2005
PLCC Equipment	1.Isolator				
	2. Battery Charger				
	3. Panel	4	ABB		
	4.telephone				
	Hydrant system with Pipe arrangement		N.A		
	Fire Fighting Equipment	16		Carbon dioxide type#06,Dry powder type#05	
	Earthing Rods	9			
	Tools & Tackles(Spellers,Wrench..etc.(Set/Piece)				
		ring spanner-05pcs,D-wrench-02pcs,Slide wrench-01pc		screw driver-01set	
	Testing Equipments	8		Over current test kit ,meggar Relay test kit ,oil insulation test	
	Safety Gear(Helmet,Gloves,Boot, etc.)			HELMET#04,BOOT#02,CAP#01,GLOVES#02, ROPE#01	
	SST	1	TESLA		2005
	Spare Hardware Fitting.				

Sample format for GSS land assets

GSS:- 132/33kv GSS Sasaram

LOCATION	
01	Name of GSS
02	Located at (Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates Latitude:- 24°57'09.3"N Longitude: 83°58'19.0" E
LAND DETAILS	
10	Initial Area (In Acre)
11	Whether it was: (i) A Govt. Land (State type GM or) (ii) Private Land If Private Land, Whether (i) Purchased (ii) Acquired (iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present Details of Land (Khata/Khesara)
	Thana No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with